

## **Appendix D: Test Applicability Criteria**

Certain tests in the suite may be considered inapplicable to an implementation depending on the way the implementation treats the implementation-dependent features of the language. A brief summary of these implementation-dependent features and the tests they affect are listed in this appendix.

Note that the applicability of each one of these tests is based on the criteria listed in the test file. During validation, all the implementation-dependent tests are submitted for compilation and (if compiled successfully) are executed, with the following exceptions:

Tests which require a floating point DIGITS value that exceeds SYSTEM.MAX\_DIGITS need not be submitted to the compiler. (The testing laboratory may require pre-validation evidence that the tests are properly rejected.)

If file I/O is not supported, then the tests listed in Section D.2.14 will not be part of the customized test suite for bare target validations and will not be run on-site.



## D.1 Compile-Time Inapplicability

The first part of this appendix is concerned with tests for which the applicability is determined at compile time. Class B tests that are inapplicable should be successfully compiled, or, in a few cases, should report an error on the line marked “--N/A => ERROR”. Executable tests that are inapplicable based on their compile-time behavior must be rejected as a result of the unsupported feature. Lines containing the implementation-dependent features are marked “--N/A => ERROR”. In every case, tests may be graded NOT-APPLICABLE only if all the following conditions are met:

- The implementation’s treatment of the test is consistent with the applicability criteria given in the test comments;
- All other tests having the same applicability criteria exhibit the same behavior; and
- The behavior is consistent with the implementation’s documentation.

### D.1.1 Type *SHORT\_INTEGER*

If there is no predefined type *SHORT\_INTEGER*, then the tests contained in the following files are not applicable:

B36105C.DEP	C45411B.DEP	C45611B.DEP	C55B07B.DEP
B52004E.DEP	C45502B.DEP	C45613B.DEP	CD7101E.DEP
B55B09D.DEP	C45503B.DEP	C45614B.DEP	
C45231B.DEP	C45504B.DEP	C45631B.DEP	
C45304B.DEP	C45504E.DEP	C45632B.DEP	

### D.1.2 Type *LONG\_INTEGER*

If there is no predefined type *LONG\_INTEGER*, then the tests contained in the following files are not applicable:

B52004D.DEP	C45411C.DEP	C45504F.DEP	C45631C.DEP
B55B09C.DEP	C45502C.DEP	C45611C.DEP	C45632C.DEP
C45231C.DEP	C45503C.DEP	C45613C.DEP	C55B07A.DEP
C45304C.DEP	C45504C.DEP	C45614C.DEP	CD7101F.DEP

### **D.1.3 Other Predefined Integer Types**

If there are no predefined integer types with names other than INTEGER, SHORT\_INTEGER, and LONG\_INTEGER, then the tests contained in the following files are not applicable.

C45231D.TST      CD7101G.TST

### **D.1.4 Fixed Point Restrictions**

If SYSTEM.MAX\_MANTISSA is less than 47 or SYSTEM.FINE\_DELTA is greater than  $2.0^{**-47}$ , then the tests contained in the following files are not applicable:

C45531M.DEP	C45531O.DEP	C45532M.DEP	C45532O.DEP
C45531N.DEP	C45531P.DEP	C45532N.DEP	C45532P.DEP

### **D.1.5 Non-binary Values of ‘SMALL’**

If ‘SMALL’ representation clauses which are not powers of two are not supported, then the tests contained in the following files are not applicable:

C45536A.DEP      CD2A53A.ADA

### **D.1.6 Compiler Rejection of Supposedly Static Expression**

Consider the following declarations:

```
TYPE F IS DIGITS SYSTEM.MAX_DIGITS;
N : CONSTANT := 2.0 * F'MACHINE_RADIX ** F'MACHINE_EMAX;
```

If the declaration of N is rejected on the grounds that evaluation of the expression will raise an exception, then the following test is not applicable:

C4A013B.ADA

### **D.1.7 Machine Code Insertions**

If machine code insertions are not supported, then the tests contained in the following files are not applicable:

AD8011A.TST	BD8002A.TST	BD8004A.TST	BD8004C.TST
BD8001A.TST	BD8003A.TST	BD8004B.TST	

### **D.1.8 Illegal External File Names**

If there are no strings which are illegal as external file names, then the tests contained in the following files are not applicable:

CE2102C.TST      CE2102H.TST      CE3102B.TST      CE3107A.TST

### **D.1.9 Decimal Types**

If decimal types are not supported, then the tests contained in the following files are not applicable: (Note that implementations testing Annex F must support decimal types).

C460011.A

CXAA010.A

### **D.1.10 Instantiation of Sequential\_IO with indefinite types**

If Sequential\_IO does not support indefinite types, then the test contained in the following files are not applicable:

CE2201D.DEP

CE2201E.DEP

### **D.1.11 Special Handling Tests**

Test requiring special handling may also be not applicable. See section 4.6.5, "Tests with Special Processing Requirements", for details.



## D.2 Reported Inapplicability

This section is concerned with tests that can detect, at runtime, certain implementation characteristics that render the objective meaningless or prevent testing of the objective. These tests must compile and execute, reporting “NOT\_APPLICABLE” as the result. This behavior must be consistent with other tests for related objective and with the implementation’s Appendix F.

### D.2.1 Value of **MACHINE\_OVERFLOW** is False

If **MACHINE\_OVERFLOW** is FALSE for floating point types, then the tests contained in the following files should report NOT\_APPLICABLE:

C45523A.ADA      C45622A.ADA

### D.2.2 Value of **MACHINE\_OVERFLOW** is True

If **MACHINE\_OVERFLOW** is TRUE for floating point types, then the tests contained in the following files should report NOT\_APPLICABLE:

C45624A.ADA      C45624B.ADA

### D.2.3 **SYSTEM.MAX\_DIGITS**

If the value of **SYSTEM.MAX\_DIGITS** is greater than 35, then the test contained in the following file should report NOT\_APPLICABLE

C4A011A.ADA

#### **D.2.4 Floating Point Overflow**

Consider the declaration

```
TYPE F IS DIGITS SYSTEM.MAX_DIGITS;
```

If

```
F'MACHINE_OVERFLOW is FALSE
```

and

```
2.0 * F'MACHINE_RADIX ** F'MACHINE_EMAX <= F'BASE'LAST
```

then the test contained in the following file should report NOT\_APPLICABLE (if it compiles without error):

C4A013B.ADA

#### **D.2.5 Type DURATION**

If

```
DURATION'FIRST = DURATION'BASE'FIRST
```

or

```
DURATION'LAST = DURATION'BASE'LAST
```

then the tests contained in the following file should report NOT\_APPLICABLE:

C96005B.TST

#### **D.2.6 Text Files (Non-supported Features)**

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a text file (this is the appropriate behavior for an implementation which does not support text files other than standard input and output), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2109C.ADA	CE3104A.ADA	CE3110A.ADA	CE3304A.TST
CE3102A.ADA	CE3104B.ADA	CE3112C.ADA	CE3305A.ADA
CE3102B.TST	CE3104C.ADA	CE3112D.ADA	CE3401A.ADA
CE3102F.ADA	CE3106A.ADA	CE3114A.ADA	CE3402A.ADA
CE3102G.ADA	CE3106B.ADA	CE3115A.ADA	CE3402C.ADA
CE3102H.ADA	CE3107A.TST	CE3119A.TST	CE3402D.ADA
CE3102J.ADA	CE3107B.ADA	CE3207A.ADA	CE3403A.ADA
CE3102K.ADA	CE3108A.ADA	CE3301A.ADA	CE3403B.ADA
CE3103A.ADA	CE3108B.ADA	CE3302A.ADA	CE3403C.ADA

CE3403E.ADA	CE3413C.ADA	CE3706F.ADA	CE3906B.ADA
CE3403F.ADA	CE3414A.ADA	CE3706G.ADA	CE3906C.ADA
CE3404B.ADA	CE3602A.ADA	CE3804A.ADA	CE3906E.ADA
CE3404C.ADA	CE3602B.ADA	CE3804B.ADA	CE3906F.ADA
CE3404D.ADA	CE3602C.ADA	CE3804C.ADA	CXAA001.A
CE3405A.ADA	CE3602D.ADA	CE3804D.ADA	CXAA002.A
CE3405C.ADA	CE3603A.ADA	CE3804E.ADA	CXAA003.A
CE3405D.ADA	CE3604A.ADA	CE3804F.ADA	CXAA004.A
CE3406A.ADA	CE3604B.ADA	CE3804G.ADA	CXAA005.A
CE3406B.ADA	CE3605A.ADA	CE3804H.ADA	CXAA006.A
CE3406C.ADA	CE3605B.ADA	CE3804I.ADA	CXAA007.A
CE3406D.ADA	CE3605C.ADA	CE3804J.ADA	CXAA008.A
CE3407A.ADA	CE3605D.ADA	CE3804M.ADA	CXAA009.A
CE3407B.ADA	CE3605E.ADA	CE3804O.ADA	CXAA010.A
CE3407C.ADA	CE3606A.ADA	CE3804P.ADA	CXAA011.A
CE3408A.ADA	CE3606B.ADA	CE3805A.ADA	CXAA012.A
CE3408B.ADA	CE3704A.ADA	CE3805B.ADA	CXAA013.A
CE3408C.ADA	CE3704B.ADA	CE3806A.ADA	CXAA014.A
CE3409A.ADA	CE3704C.ADA	CE3806B.ADA	CXAA015.A
CE3409C.ADA	CE3704D.ADA	CE3806D.ADA	CXAA016.A
CE3409D.ADA	CE3704E.ADA	CE3806E.ADA	CXAA017.A
CE3409E.ADA	CE3704F.ADA	CE3806G.ADA	CXAA018.A
CE3410A.ADA	CE3704M.ADA	CE3806H.ADA	CXF3A06.A
CE3410C.ADA	CE3704N.ADA	CE3902B.ADA	CXG1003.A
CE3410D.ADA	CE3704O.ADA	CE3904A.ADA	EE3203A.ADA
CE3410E.ADA	CE3705A.ADA	CE3904B.ADA	EE3204A.ADA
CE3411A.ADA	CE3705B.ADA	CE3905A.ADA	EE3402B.ADA
CE3411C.ADA	CE3705C.ADA	CE3905B.ADA	EE3409F.ADA
CE3412A.ADA	CE3705D.ADA	CE3905C.ADA	EE3412C.ADA
CE3413A.ADA	CE3705E.ADA	CE3905L.ADA	
CE3413B.ADA	CE3706D.ADA	CE3906A.ADA	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a text file with mode IN\_FILE (this is the appropriate behavior for an implementation which does not support text files other than standard input and output), then the tests contained in the following files should report NOT\_APPLICABLE:

CE3102F.ADA	CE3302A.ADA	CE3404D.ADA	CE3409C.ADA
CE3102H.ADA	CE3402A.ADA	CE3406A.ADA	CE3409D.ADA
CE3104B.ADA	CE3403B.ADA	CE3406C.ADA	CE3409E.ADA
CE3106A.ADA	CE3403C.ADA	CE3406D.ADA	CE3410C.ADA
CE3108A.ADA	CE3403E.ADA	CE3407A.ADA	CE3410D.ADA
CE3108B.ADA	CE3403F.ADA	CE3407C.ADA	CE3410E.ADA
CE3112D.ADA	CE3404B.ADA	CE3408A.ADA	CE3411A.ADA
CE3301A.ADA	CE3404C.ADA	CE3408C.ADA	CE3411C.ADA

CE3412A.ADA	CE3704D.ADA	CE3804B.ADA	CE3806B.ADA
CE3413A.ADA	CE3704E.ADA	CE3804D.ADA	CE3806D.ADA
CE3413B.ADA	CE3704F.ADA	CE3804E.ADA	CE3806G.ADA
CE3413C.ADA	CE3704M.ADA	CE3804F.ADA	CE3902B.ADA
CE3602A.ADA	CE3704N.ADA	CE3804G.ADA	CE3904B.ADA
CE3602B.ADA	CE3704O.ADA	CE3804H.ADA	CE3905A.ADA
CE3602D.ADA	CE3705B.ADA	CE3804I.ADA	CE3905C.ADA
CE3603A.ADA	CE3705C.ADA	CE3804J.ADA	CE3905L.ADA
CE3604A.ADA	CE3705D.ADA	CE3804M.ADA	CE3906B.ADA
CE3604B.ADA	CE3705E.ADA	CE3804P.ADA	CE3906C.ADA
CE3605C.ADA	CE3706D.ADA	CE3805A.ADA	EE3203A.ADA
CE3704A.ADA	CE3706G.ADA	CE3805B.ADA	EE3204A.ADA
CE3704C.ADA	CE3804A.ADA	CE3806A.ADA	EE3412C.ADA

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a text file with mode OUT\_FILE (this is the appropriate behavior for an implementation which does not support text files other than standard input and output), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2109C.ADA	CE3304A.TST	CE3409A.ADA	CE3606A.ADA
CE3102A.ADA	CE3305A.ADA	CE3409C.ADA	CE3606B.ADA
CE3102B.TST	CE3401A.ADA	CE3409D.ADA	CE3704A.ADA
CE3102F.ADA	CE3402A.ADA	CE3409E.ADA	CE3704B.ADA
CE3102G.ADA	CE3402C.ADA	CE3410A.ADA	CE3704C.ADA
CE3102H.ADA	CE3402D.ADA	CE3410C.ADA	CE3704D.ADA
CE3102J.ADA	CE3403A.ADA	CE3410D.ADA	CE3704E.ADA
CE3102K.ADA	CE3403B.ADA	CE3410E.ADA	CE3704F.ADA
CE3103A.ADA	CE3403C.ADA	CE3411A.ADA	CE3704M.ADA
CE3104A.ADA	CE3403E.ADA	CE3411C.ADA	CE3704N.ADA
CE3104B.ADA	CE3403F.ADA	CE3412A.ADA	CE3704O.ADA
CE3104C.ADA	CE3404B.ADA	CE3413A.ADA	CE3705A.ADA
CE3106A.ADA	CE3404C.ADA	CE3413B.ADA	CE3705B.ADA
CE3106B.ADA	CE3404D.ADA	CE3413C.ADA	CE3705C.ADA
CE3107A.TST	CE3405A.ADA	CE3414A.ADA	CE3705D.ADA
CE3107B.ADA	CE3405C.ADA	CE3602A.ADA	CE3705E.ADA
CE3108A.ADA	CE3405D.ADA	CE3602B.ADA	CE3706D.ADA
CE3108B.ADA	CE3406A.ADA	CE3602C.ADA	CE3706F.ADA
CE3110A.ADA	CE3406B.ADA	CE3602D.ADA	CE3706G.ADA
CE3112C.ADA	CE3406C.ADA	CE3603A.ADA	CE3804A.ADA
CE3112D.ADA	CE3406D.ADA	CE3604A.ADA	CE3804B.ADA
CE3114A.ADA	CE3407A.ADA	CE3604B.ADA	CE3804C.ADA
CE3115A.ADA	CE3407B.ADA	CE3605A.ADA	CE3804D.ADA
CE3119A.TST	CE3407C.ADA	CE3605B.ADA	CE3804E.ADA
CE3207A.ADA	CE3408A.ADA	CE3605C.ADA	CE3804F.ADA
CE3301A.ADA	CE3408B.ADA	CE3605D.ADA	CE3804G.ADA
CE3302A.ADA	CE3408C.ADA	CE3605E.ADA	CE3804H.ADA

CE3804I.ADA	CE3806G.ADA	CE3906C.ADA	CXAA016.A
CE3804J.ADA	CE3806H.ADA	CE3906E.ADA	CXAA017.A
CE3804M.ADA	CE3902B.ADA	CE3906F.ADA	CXAA018.A
CE3804O.ADA	CE3904A.ADA	CXAA003.A	CXF3A06.A
CE3804P.ADA	CE3904B.ADA	CXAA004.A	CXG1003.A
CE3805A.ADA	CE3905A.ADA	CXAA005.A	EE3203A.ADA
CE3805B.ADA	CE3905B.ADA	CXAA009.A	EE3204A.ADA
CE3806A.ADA	CE3905C.ADA	CXAA010.A	EE3402B.ADA
CE3806B.ADA	CE3905L.ADA	CXAA011.A	EE3409F.ADA
CE3806D.ADA	CE3906A.ADA	CXAA012.A	EE3412C.ADA
CE3806E.ADA	CE3906B.ADA	CXAA014.A	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a text file with mode APPEND\_FILE (this is the appropriate behavior for an implementation which does not support text files other than standard input and output), then the tests contained in the following files should report NOT\_APPLICABLE:

CXAA001.A	CXAA006.A	CXAA008.A	CXAA015.A
CXAA002.A	CXAA007.A	CXAA013.A	

If RESET is not supported for text files, then the following tests should report NOT\_APPLICABLE:

CE3104C.ADA	CE3115A.ADA
-------------	-------------

If DELETE is not supported for text files, then the following tests should report NOT\_APPLICABLE:

CE3110A.ADA
CE3114A.ADA

If association of multiple internal text files (opened for reading and writing) to a single external file is not supported, then the test contained in the following file should report NOT\_APPLICABLE:

CE3115A.ADA

If there are no inappropriate values for either line length or page length, then the test contained in the following file should report NOT\_APPLICABLE:

CE3304A.TST

If the value of COUNT'LAST is greater than 150\_000, then the following test should report NOT\_APPLICABLE:

CE3413B.ADA

### **D.2.7 Text Files (Supported Features)**

If create with mode IN\_FILE is supported for text files, then the test contained in the following file should report NOT\_APPLICABLE:

CE3102E.ADA

If open with mode IN\_FILE is supported for text files, then the test contained in the following file should report NOT\_APPLICABLE:

CE3102J.ADA

If open with mode OUT\_FILE is supported for text files, then the test contained in the following file should report NOT\_APPLICABLE:

CE3102I.ADA

If open with mode OUT\_FILE is supported for text files, then the following test should report NOT\_APPLICABLE:

CE3102K.ADA

If reset is supported for text files, then the test contained in the following file should report NOT\_APPLICABLE:

CE3102F.ADA

If delete for text files is supported, then the test contained in the following file should report NOT\_APPLICABLE:

CE3102G.ADA

### **D.2.8 Sequential Files (Non-supported Features)**

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a sequential file (this is appropriate behavior for an implementation which does not support sequential files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102A.ADA	CE2106A.ADA	CE2201C.ADA	CE2203A.TST
CE2102C.TST	CE2108E.ADA	CE2201D.DEP	CE2204A.ADA
CE2102G.ADA	CE2108F.ADA	CE2201E.DEP	CE2204B.ADA
CE2102N.ADA	CE2109A.ADA	CE2201F.ADA	CE2204C.ADA
CE2102O.ADA	CE2110A.ADA	CE2201G.ADA	CE2204D.ADA
CE2102P.ADA	CE2111A.ADA	CE2201H.ADA	CE2205A.ADA
CE2102Q.ADA	CE2111C.ADA	CE2201I.ADA	CE2206A.ADA
CE2102X.ADA	CE2111F.ADA	CE2201J.ADA	CE2208B.ADA
CE2103A.TST	CE2111I.ADA	CE2201K.ADA	CXA8001.A
CE2103C.ADA	CE2120B.TST	CE2201L.ADA	CXA8002.A
CE2104A.ADA	CE2201A.ADA	CE2201M.ADA	
CE2104B.ADA	CE2201B.ADA	CE2201N.ADA	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a sequential file with mode IN\_FILE (this is appropriate behavior for an implementation which does not support sequential files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102G.ADA	CE2111C.ADA	CE2201G.ADA	CE2201M.ADA
CE2102O.ADA	CE2111F.ADA	CE2201H.ADA	CE2201N.ADA
CE2104A.ADA	CE2201A.ADA	CE2201I.ADA	CE2204A.ADA
CE2104B.ADA	CE2201B.ADA	CE2201J.ADA	CE2205A.ADA
CE2108F.ADA	CE2201C.ADA	CE2201K.ADA	CE2206A.ADA
CE2111A.ADA	CE2201F.ADA	CE2201L.ADA	CE2208B.ADA

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a sequential file with mode OUT\_FILE (this is appropriate behavior for an implementation which does not support sequential files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102A.ADA	CE2103C.ADA	CE2111C.ADA	CE2201F.ADA
CE2102C.TST	CE2104A.ADA	CE2111F.ADA	CE2201G.ADA
CE2102G.ADA	CE2104B.ADA	CE2111I.ADA	CE2201H.ADA
CE2102N.ADA	CE2106A.ADA	CE2120B.TST	CE2201L.ADA
CE2102O.ADA	CE2108E.ADA	CE2201A.ADA	CE2201J.ADA
CE2102P.ADA	CE2108F.ADA	CE2201B.ADA	CE2201K.ADA
CE2102Q.ADA	CE2109A.ADA	CE2201C.ADA	CE2201L.ADA
CE2102X.ADA	CE2110A.ADA	CE2201D.DEP	CE2201M.ADA
CE2103A.TST	CE2111A.ADA	CE2201E.DEP	CE2201N.ADA

CE2203A.TST	CE2204C.ADA	CE2206A.ADA
CE2204A.ADA	CE2204D.ADA	CE2208B.ADA
CE2204B.ADA	CE2205A.ADA	CXA8001.A

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a sequential file with mode APPEND\_FILE (this is appropriate behavior for an implementation which does not support sequential files), then the tests contained in the following files should report NOT\_APPLICABLE:

CXA8001.A

If reset to mode OUT\_FILE is not supported for sequential files, then the tests contained in the following files should report NOT\_APPLICABLE:

CE2111C.ADA      CE2111F.ADA      CE2111I.ADA

If reset to mode IN\_FILE is not supported for sequential files, then the tests contained in the following files should report NOT\_APPLICABLE:

CE2111F.ADA      CE2111I.ADA      CE2204C.ADA

If delete for sequential files is not supported, then the tests contained in the following files should report NOT\_APPLICABLE:

CE2106A.ADA      CE2110A.ADA

If the implementation cannot restrict the file capacity for a sequential file, then the test contained in the following file should report NOT\_APPLICABLE:

CE2203A.TST

#### **D.2.9 Sequential Files (Supported Features)**

If create with mode IN\_FILE is supported for sequential files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102D.ADA

If open with mode IN\_FILE is supported for sequential files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102N.ADA

If reset to mode IN\_FILE is supported for sequential files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102O.ADA

If create with mode OUT\_FILE is supported, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102E.ADA

If open with mode OUT\_FILE is supported, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102P.ADA

If reset to mode OUT\_FILE is supported for sequential files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102Q.ADA

#### **D.2.10 Direct Files (Non-supported Features)**

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a direct access file (this is appropriate behavior for an implementation which does not support direct access files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102B.ADA	CE2104C.ADA	CE2401C.ADA	CE2407A.ADA
CE2102H.TST	CE2104D.ADA	CE2401E.ADA	CE2407B.ADA
CE2102K.ADA	CE2106B.ADA	CE2401F.ADA	CE2408A.ADA
CE2102R.ADA	CE2108G.ADA	CE2401H.ADA	CE2408B.ADA
CE2102S.ADA	CE2108H.ADA	CE2401I.ADA	CE2409A.ADA
CE2102T.ADA	CE2109B.ADA	CE2401J.ADA	CE2409B.ADA
CE2102U.ADA	CE2110C.ADA	CE2401K.ADA	CE2410A.ADA
CE2102V.ADA	CE2111B.ADA	CE2401L.ADA	CE2410B.ADA
CE2102W.ADA	CE2111E.ADA	CE2403A.TST	CE2411A.ADA
CE2102Y.ADA	CE2111G.ADA	CE2404A.ADA	CXA8003.A
CE2103B.TST	CE2120A.TST	CE2404B.ADA	CXA9001.A
CE2103D.ADA	CE2401A.ADA	CE2405B.ADA	CXA9002.A
	CE2401B.ADA	CE2406A.ADA	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a direct access file with mode IN\_FILE (this is appropriate behavior for an implementation which does not support direct access files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102K.ADA	CE2111B.ADA	CE2401E.ADA	CE2406A.ADA
CE2102U.ADA	CE2111E.ADA	CE2401F.ADA	CE2407A.ADA
CE2104C.ADA	CE2401A.ADA	CE2401H.ADA	CE2411A.ADA
CE2104D.ADA	CE2401B.ADA	CE2401I.ADA	
CE2108H.ADA	CE2401C.ADA	CE2405B.ADA	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a direct access file with mode OUT\_FILE (this is appropriate behavior for an implementation which does not support direct access files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102B.ADA	CE2104D.ADA	CE2403A.TST	CE2410A.ADA
CE2102K.ADA	CE2106B.ADA	CE2404A.ADA	CE2410B.ADA
CE2102R.ADA	CE2108G.ADA	CE2404B.ADA	CE2411A.ADA
CE2102W.ADA	CE2108H.ADA	CE2405B.ADA	CXA8003.A
CE2102Y.ADA	CE2110C.ADA	CE2407A.ADA	CXA9001.A
CE2103B.TST	CE2111B.ADA	CE2407B.ADA	CXA9002.A
CE2103D.ADA	CE2111E.ADA	CE2408A.ADA	
CE2104C.ADA	CE2120A.TST	CE2409B.ADA	

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a direct access file with mode INOUT\_FILE (this is appropriate behavior for an implementation which does not support direct access files), then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102H.TST	CE2111B.ADA	CE2401F.ADA	CE2406A.ADA
CE2102K.ADA	CE2111E.ADA	CE2401H.ADA	CE2408B.ADA
CE2102S.ADA	CE2111G.ADA	CE2401I.ADA	CE2409A.ADA
CE2102T.ADA	CE2401A.ADA	CE2401J.ADA	CE2411A.ADA
CE2102U.ADA	CE2401B.ADA	CE2401K.ADA	
CE2102V.ADA	CE2401C.ADA	CE2401L.ADA	
CE2109B.ADA	CE2401E.ADA	CE2405B.ADA	

If delete for direct access files is not supported, then the following tests should report NOT\_APPLICABLE:

CE2106B.ADA	CE2110C.ADA
-------------	-------------

If the implementation cannot restrict the file capacity for a direct file, then the test contained in the following file should report NOT\_APPLICABLE:

CE2403A.TST

### **D.2.11 Direct Files (Supported Features)**

If create with mode IN\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102I.ADA

If open with mode IN\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102T.ADA

If reset with mode IN\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102U.ADA

If create with mode OUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102J.ADA

If open with mode OUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102V.ADA

If reset with mode OUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102W.ADA

If create with mode INOUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102F.ADA

If open with mode INOUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102R.ADA

If reset to mode INOUT\_FILE is supported for direct access files, then the test contained in the following file should report NOT\_APPLICABLE:

CE2102S.ADA

### **D.2.12 Stream Files (Non-supported Features)**

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a stream file (this is the appropriate behavior for an implementation which does not support stream files), then the tests contained in the following files should report NOT\_APPLICABLE:

CXAC001.A	CXAC004.A	CXACB01.A
CXAC002.A	CXACA01.A	CXACB02.A
CXAC003.A	CXACA02.A	CXACC01.A

### **D.2.13 Wide Text Files (Non-supported Features)**

If USE\_ERROR or NAME\_ERROR is raised by every attempt to create or open a wide text file (this is the appropriate behavior for an implementation which does not support wide text files), then the test contained in the following file should report NOT\_APPLICABLE:

CXAB001.A

### **D.2.14 File I/O Tests**

If sequential, text, direct access, stream, and wide text files are not supported, then the tests contained in the following files should report NOT\_APPLICABLE:

CE2102A.ADA	CE2104B.ADA	CE2201A.ADA	CE2401B.ADA
CE2102B.ADA	CE2104C.ADA	CE2201B.ADA	CE2401C.ADA
CE2102C.TST	CE2104D.ADA	CE2201C.ADA	CE2401E.ADA
CE2102G.ADA	CE2106A.ADA	CE2201D.DEP	CE2401F.ADA
CE2102H.TST	CE2106B.ADA	CE2201E.DEP	CE2401H.ADA
CE2102K.ADA	CE2108E.ADA	CE2201F.ADA	CE2401I.ADA
CE2102N.ADA	CE2108F.ADA	CE2201G.ADA	CE2401J.ADA
CE2102O.ADA	CE2108G.ADA	CE2201H.ADA	CE2401K.ADA
CE2102P.ADA	CE2108H.ADA	CE2201I.ADA	CE2401L.ADA
CE2102Q.ADA	CE2109A.ADA	CE2201J.ADA	CE2403A.TST
CE2102R.ADA	CE2109B.ADA	CE2201K.ADA	CE2404A.ADA
CE2102S.ADA	CE2109C.ADA	CE2201L.ADA	CE2404B.ADA
CE2102T.ADA	CE2110A.ADA	CE2201M.ADA	CE2405B.ADA
CE2102U.ADA	CE2110C.ADA	CE2201N.ADA	CE2406A.ADA
CE2102V.ADA	CE2111A.ADA	CE2203A.TST	CE2407A.ADA
CE2102W.ADA	CE2111B.ADA	CE2204A.ADA	CE2407B.ADA
CE2102X.ADA	CE2111C.ADA	CE2204B.ADA	CE2408A.ADA
CE2102Y.ADA	CE2111E.ADA	CE2204C.ADA	CE2408B.ADA
CE2103A.TST	CE2111F.ADA	CE2204D.ADA	CE2409A.ADA
CE2103B.TST	CE2111G.ADA	CE2205A.ADA	CE2409B.ADA
CE2103C.ADA	CE2111I.ADA	CE2206A.ADA	CE2410A.ADA
CE2103D.ADA	CE2120A.TST	CE2208B.ADA	CE2410B.ADA
CE2104A.ADA	CE2120B.TST	CE2401A.ADA	CE2411A.ADA

CE3102A.ADA	CE3406A.ADA	CE3704E.ADA	CE3906C.ADA
CE3102B.TST	CE3406B.ADA	CE3704F.ADA	CE3906E.ADA
CE3102F.ADA	CE3406C.ADA	CE3704M.ADA	CE3906F.ADA
CE3102G.ADA	CE3406D.ADA	CE3704N.ADA	CXA8001.A
CE3102H.ADA	CE3407A.ADA	CE3704O.ADA	CXA8002.A
CE3102J.ADA	CE3407B.ADA	CE3705A.ADA	CXA8003.A
CE3102K.ADA	CE3407C.ADA	CE3705B.ADA	CXA9001.A
CE3103A.ADA	CE3408A.ADA	CE3705C.ADA	CXA9002.A
CE3104A.ADA	CE3408B.ADA	CE3705D.ADA	CXAA001.A
CE3104B.ADA	CE3408C.ADA	CE3705E.ADA	CXAA002.A
CE3104C.ADA	CE3409A.ADA	CE3706D.ADA	CXAA003.A
CE3106A.ADA	CE3409C.ADA	CE3706F.ADA	CXAA004.A
CE3106B.ADA	CE3409D.ADA	CE3706G.ADA	CXAA005.A
CE3107A.TST	CE3409E.ADA	CE3804A.ADA	CXAA006.A
CE3107B.ADA	CE3410A.ADA	CE3804B.ADA	CXAA007.A
CE3108A.ADA	CE3410C.ADA	CE3804C.ADA	CXAA008.A
CE3108B.ADA	CE3410D.ADA	CE3804D.ADA	CXAA009.A
CE3110A.ADA	CE3410E.ADA	CE3804E.ADA	CXAA010.A
CE3112C.ADA	CE3411A.ADA	CE3804F.ADA	CXAA011.A
CE3112D.ADA	CE3411C.ADA	CE3804G.ADA	CXAA012.A
CE3114A.ADA	CE3412A.ADA	CE3804H.ADA	CXAA013.A
CE3115A.ADA	CE3413A.ADA	CE3804I.ADA	CXAA014.A
CE3119A.TST	CE3413B.ADA	CE3804J.ADA	CXAA015.A
CE3207A.ADA	CE3413C.ADA	CE3804M.ADA	CXAA016.A
CE3301A.ADA	CE3414A.ADA	CE3804O.ADA	CXAA017.A
CE3302A.ADA	CE3602A.ADA	CE3804P.ADA	CXAA018.A
CE3304A.TST	CE3602B.ADA	CE3805A.ADA	CXAB001.A
CE3305A.ADA	CE3602C.ADA	CE3805B.ADA	CXAC001.A
CE3401A.ADA	CE3602D.ADA	CE3806A.ADA	CXAC002.A
CE3402A.ADA	CE3603A.ADA	CE3806B.ADA	CXAC003.A
CE3402C.ADA	CE3604A.ADA	CE3806D.ADA	CXAC004.A
CE3402D.ADA	CE3604B.ADA	CE3806E.ADA	CXACA01.A
CE3403A.ADA	CE3605A.ADA	CE3806G.ADA	CXACA02.A
CE3403B.ADA	CE3605B.ADA	CE3806H.ADA	CXACB01.A
CE3403C.ADA	CE3605C.ADA	CE3902B.ADA	CXACB02.A
CE3403E.ADA	CE3605D.ADA	CE3904A.ADA	CXACC01.A
CE3403F.ADA	CE3605E.ADA	CE3904B.ADA	CXF3A06.A
CE3404B.ADA	CE3606A.ADA	CE3905A.ADA	CXG1003.A
CE3404C.ADA	CE3606B.ADA	CE3905B.ADA	EE3203A.ADA
CE3404D.ADA	CE3704A.ADA	CE3905C.ADA	EE3204A.ADA
CE3405A.ADA	CE3704B.ADA	CE3905L.ADA	EE3402B.ADA
CE3405C.ADA	CE3704C.ADA	CE3906A.ADA	EE3409F.ADA
CE3405D.ADA	CE3704D.ADA	CE3906B.ADA	EE3412C.ADA

### **D.2.15 Memory for Allocated Objects**

If a large amount of memory (more than 32 megabytes for a typical implementation) is available for allocated objects (those created by new), then the test contained in the following file should report NOT\_APPLICABLE:

CB10002

### **D.2.16 Task Attributes**

If Annex C (Systems Programming) is tested and the size of a task attribute is limited such that an attribute of a controlled type is not supported, then the test contained in the following file should report NOT\_APPLICABLE:

CXC7003

### **D.2.17 Reserved Interrupts**

If Annex C (Systems Programming) is tested and no interrupts are reserved, then the tests contained in the following files should report NOT\_APPLICABLE:

CXC3002                    CXC3005

### **D.2.18 Multiprocessor Systems**

If Annex D (Real-time Systems) is tested and the target is a multiprocessor, then the tests contained in the following files should report NOT\_APPLICABLE:

CXD2001	CXD2004	CXD6001
CXD2002	CXD2007	CXD6002
CXD2003	CXD2008	CXD6003

### **D.2.19 Non-binary Machine Radix**

If Annex G (Numerics) is tested and the machine radix is not a power of two, then the test contained in the following file should report NOT\_APPLICABLE:

CXG2010